

## REDCO™ **UHMW**

Our most diversified product with extensive properties designed to enhance production and save you maintenance costs.

## SHEET, ROD, TUBE & CUSTOM PARTS



**ABRASION RESISTANT** 

**ABSORBS NOISE** 

SMOOTH & NON-SLIP SURFACES

HIGH LOAD CAPACITY

**CORROSION RESISTANT** 

**ABSORBS IMPACT** 

MINIMIZE MAINTENANCE

**OUTSTANDING DURABILITY** 

CHEMICAL RESISTANCE

WET OR DRY APPLICATIONS

FDA, USDA & CFIA GRADES

**DETECTABLE MATERIALS** 

**SELF LUBRICATING** 







## Redco™ UHMW

## REDCO™ VIRGIN UHMW





FDA, CFIA and USDA compliant, Redco™ UHMW reduces material hang ups and enhances material flow; increasing your production and your profits.



#### TYPICAL APPLICATIONS:

Wear strip, channel, diverter arms, bearing blocks, scraper blades, wear rails, star wheels, chute liners, hopper liners, bunk pads, slider blocks, low pressure gears, light duty pulleys, dock fenders/pads, metal detector troughs, trimmer lugs, sprockets, conveyor flights, wear shoes/guides, forklift hose sheaves, skate wheels, rollers, hold down wheels, slides, cutting boards, outrigger pads, etc.

## REDCO™ REPROCESSED







Redco™ Reprocessed UHMW is a blend of Virgin and Reprocessed polyethylene resulting in a cost effective alternative to Virgin UHMW. Redco™ Reprocessed UHMW is recommended for wear strip applications that do not require FDA approval.

STANDARD COLORS: Black, Green & Yellow

#### TYPICAL APPLICATIONS:

Wear strip, channel, hold down wheels, slides, bearing blocks, wear rails, chute liners, hopper liners, wear shoes/ guides, low pressure gears, flights, light duty pulleys, dock fenders/pads, skate wheels, rollers, slider blocks, outrigger pads, etc.



## REDCO™ TITANIUM



Redco™ Titanium is specially formulated to be the slickest, strongest and toughest with superior abrasion resistance and the lowest thermal expansion. Developed for the most demanding applications involving impact and sliding, Redco™ Titanium will withstand the most severe environments.

STANDARD COLOR: Grey

#### TYPICAL APPLICATIONS:

Bin liners, hopper liners, flume liners, belt scrapers, skirt boards, chutes, conveyors, silos, cyclones, spoon liners, bunkers, wear strips, feeder liners, etc.





## REDCO™ SURE GLIDE



Redco™ Sure Glide has remarkable durability with significant abrasion resistance and dimensional stability. It has a low coefficient-of-friction with a surface slickness that rivals PTFE, while also having good tensile strength, impact resistance and load-bearing properties.

Redco™ Sure Glide excels in demanding applications such as guides for heavy-duty conveyor chains, wear strips, and anywhere else a non-stick, extended-wear, liner surface is desired to reduce clogging and bridging in hoppers and chutes.

STANDARD COLOR: Dark Grey

#### TYPICAL APPLICATIONS:

Aggregate chutes, bin liners, hopper liners, flume liners, belt scrapers, skirt boards, chutes, conveyors, silos, cyclones, spoon liners, bunkers, wear strips, feeder liners, etc.

## REDCO™ X-STATIC




Redco™ X-Static eliminates static electricity hazards common in bulk material applications.

Redco™ X-Static is a special combination of virgin UHMW compounded with Carbon Black to provide anti-static properties while retaining corrosion and wear resistance, low surface friction and high impact strength.

STANDARD COLOR: Black

#### TYPICAL APPLICATIONS:

Bulk material liners, wear strip, chute, bin, hopper, and silo liners, etc.



# Redco<sup>™</sup> UHMW

## REDCO™ TIVAR®



Redco™ Tivar® is noted for its performance in promoting material flow of congested materials due to its low surface friction. The Redco™ Tivar®\* product line has a variety of custom formulations to suit many applications to reduce noise, prevent hang ups, bridging and ratholing, eliminate static, and decrease wear on equipment. Specialty formulations include:



A premium lining material for bulk material handling, Redco™ Tivar® 88 promotes flow of cohesive or non-free flowing materials due to its low surface friction. Redco™ Tivar® 88 liners are the perfect solution to reduce or eliminate arching, ratholing and erratic material flow challenges.

#### Redco™ Tivar® Dryslide

Ideal for dusty environments, Redco<sup>™</sup> Tivar<sup>®</sup> Dryslide is electro static dissipative which eliminates shock due to friction. Redco<sup>™</sup> Tivar<sup>®</sup> Dryslide is also corrosion-resistant, self-lubricating (dry lubricant formulation) with no moisture absorption.

#### Redco™ Tivar® H.O.T.

Formulated to maintain key performance properties in a variety of industrial manufacturing environments where temperatures range up to 275°F. In many applications, Redco™ Tivar® H.O.T will last up to 10 times longer in higher temperature environments and has excellent wear and release characteristics.

#### Redco™ Tivar® Ceram P®

The ultimate material for high load, high speed and severe sliding abrasion applications. Composed of virgin polymer and premium additives, Redco™ Tivar® Ceram P® is a shatter-resistant alternative to ceramics, reducing wear and machine maintenance downtime.

#### STANDARD COLORS: Blue, White & Black

Fusion welded Redco™ UHMW sheets are available to eliminate lifting; up to 144" x 1200".

#### **TYPICAL APPLICATIONS:**

Belt skirting, chute liners, conveying components, bearings, belt guides, chain guides, curves, guide rails, wear strip, dead plates, diverter bars, guide rollers, hitch plates, hopper liners, liners for gravity flow applications, roller covers, transfer plates, under belt wear strips, belt scrapers, bunker liners, chain conveyor flights, chute liners, conveyor skirting, cyclones, drag chain conveyor liners, dragline buckets, dust collection hopper liners, front end loader bucket liners, hopper liners, off-road truck beds, truck bed lining for asphalt hauling, pugmill paddles, railcar liners, reclaimer buckets, screw conveyor liners, self-unloading ships, silo liners, slider beds, storage bin liners surge bin liners, transfer chute liners, under chain guides, vibrating bin, dischargers, vibratory feeder liners, etc.

<sup>\*</sup>Tivar is a registered trademark of The Quadrant Group of Companies







## REDCO™ ANTI-SKID



Redco™ Anti-Skid UHMW Sheet is a partially sand, partially slag impregnated, or fully slag anti-skid UHMW-PE anti-skid material. It is ideal for safeguarding pedestrian and vehicular slip hazard areas with much longer life than non-skid tapes or paints.

Not only is the product a tactile warning surface, it also has a contrasting color theme (dark on light or light on dark) for added safety.

STANDARD COLOR: Black on Yellow (Slag), Gray on Blue (Sand) or Black (Aggressive Slag)

#### TYPICAL APPLICATIONS:

Steps, stair-treads, gangways, walkways, ramps, boat decks, dock plates, low-light areas, inclines, anti-slip areas, etc.



Redco™ Synsteel is a "pulp safe" UHMW engineered to remedy concerns with plastic contamination. Redco™ Synsteel has a specific gravity >2, is attracted to magnets, has a melting point > 180°C and will trigger metal detectors. Synsteel also carries the benefit of twice the compression strength of virgin UHMW, reduced thermal expansion, improved abrasion resistance and UV stabilization.

STANDARD COLOR: Black


#### TYPICAL APPLICATIONS:

Debarker outfeed, wear strip, hog fuel handling, chip handling, sharp chain wear strip, conveyor systems, cyclone liners, bin liners, flat backs on blow systems, resaw line bars, chip screens, conveyor flights, mast guides in forklifts, shaft support bearings, chipper infeed spouts, chute liners, oregon bends, transition sections, line bars, etc.

Sheet is available up to 4' x 10' | Tube and Rod are available up to 10' lengths | Cut-to-Size (Dimension availability varies by grade)


## REDCO™ UHMW CHAIN CHANNEL PROFILES

Prolong Chain Life | Reduce Noise | Reduce Power Consumption




Redco™ C2060 Channel

Part #: R-13858




Redco™ 81X Channel ●

Part #: R-5007




Redco™ 81X High-Side Channel

Part #: R-9087



#### Redco™ HD-81X Channel ●

Part #: R-10576




Part #: R-10148

3 1/2" 4 1/2"

Redco™ H82 Channel


H82, WR78HD, WR82

Part #: R-4540



**Redco™ Flyte Profile For Press Over 3x3 Structural Steel** 

Part #: R-4151




**Redco™ Flyte Profile For Press Over** 1 x 3 1/2 Flat Bar

Part #: R-4255

Also Available: Other colors, custom profiles, and specialty grades for excessive wear or high load applications. Plug welding, standard fastening hardware, and tools.


## REDCO™ UHMW CHAIN CHANNEL PROFILES

Easy to Install | Lightweight | Custom Sizes Available




#### Redco™ C2060

2 Steel Channel Insert Part #: R-28853



Redco™ 81X ● 3 Steel Channel Insert (For 3 x 4.1lb Steel Channel)


Part #: R-28855



#### Redco™ 81XHH


4 Steel Channel Insert (For 4 x 5.4lb Steel Channel)

Part #: R-28857




#### Redco™ Flange Cap

Part #: R-32521



#### Redco™ UHMW Angle


Part #: UHA-2-.25



#### Redco™ 81XHH/C188/H78


E Trak Channel

Part #: R-10148-E



#### Redco™ 81X E Trak Channel

Part #: R-5007-E



#### Redco™ 2080/2080H

E Trak Channel

Part #: R-44004-E

Stocked Length of Channel is 10' Standard Color: Yellow

Other colors, custom profiles, and specialty grades for excessive wear or high load applications are available.













